

—
BLOQ

creative
carpet tiles



THE BINARY
R-EVOLUTION
& RENEGADE



R-EVOLUTION 732, RENEGADE 111, 520



THE BINARY

R-EVOLUTION & RENEGADE

Bloq expands the existing RENEGADE collection with new colours and presents **R-EVOLUTION, a transitional tile** with old and new colours. This expansion, a subtle enrichment of the established collection and its colour palette, is designed to bring **the energy of natural movement** into stylish office and hospitality spaces.

These tiles are part of The Binary collection, known for its modern patterns made with light and dark colour combinations. Today, living and working environments have never been so closely connected.



Inspiration is everywhere

motion & tranquility



Inspired by aerial views of the coastline, where waves meet sand and rhythm blends into calm. It reflects a continuous interplay of motion and tranquility.

RENEGADE



Plain colours

RENEGADE is a 50×50 cm tile with a soft, cloud-like design that brings a sense of calm. We present new colours for this range, as well as a **curated selection chosen specifically to combine with R-EVOLUTION**. These sophisticated tones, with two gentle shades, create a dreamy, ever-unique pattern. The floor feels light, elegant and timeless, almost like walking on clouds. Also, the original Renegade colour range remains available and can be viewed on the website and in the separate RENEGADE brochure.

Transition tiles

R-EVOLUTION creates a natural transition between two colours within a space. Available in **12 gradient tones**, it brings gentle colour changes, helps define areas and adds architectural depths to the space much like tidal lines connect the sea and shore, without clear borders.


MADE FROM
ECONYL® - 100%
REGENERATED YARNS




R-EVOLUTION

RENEGADE

Curated selection of RENEGADE to combine with R-EVOLUTION.



RENEGADE 911 MOUSE



RENEGADE 937 ASH



RENEGADE 113 CASHMERE



RENEGADE 124 WALNUT



RENEGADE 244 RED OCHRE




RENEGADE 111 TRUFFLE



RENEGADE 613 MATCHA



RENEGADE 520 MAUVE



RENEGADE 522 ATLANTIC



RENEGADE 945 EBONY




RENEGADE 907 IRON



RENEGADE 942 SHADOW



RENEGADE 530 SEA



RENEGADE 921 ELEPHANT




RENEGADE 224 CURRY

R-EVOLUTION



R-EVOLUTION 721 LIME GREY



R-EVOLUTION 724 STONEWASHED



R-EVOLUTION 722 TEAL FOG




R-EVOLUTION 725 GRAFFITI



R-EVOLUTION 723 DENIM LEAD



R-EVOLUTION 726 EARTHY GROUND





R-EVOLUTION 730 GRASS PINE



R-EVOLUTION 727 LIGHT LINEN



R-EVOLUTION 731 TERRA ROSSA



R-EVOLUTION 728 SAVANNA



R-EVOLUTION 732 PURPLE POWDER



R-EVOLUTION 729 TUNDRA






Bringing the outdoors inside

The R-EVOLUTION-RENEGADE carpet tile collection creates a natural flow between outdoor and indoor spaces. Their subtle patterns and gentle colour changes ensure **smooth, elegant transitions** across the floor. By guiding movement and gently marking different areas, the collection adds calm, cohesion, and a sense of natural balance to modern office and hospitality spaces.

Used in modern buildings and nature-inspired spaces worldwide, R-EVOLUTION proves itself as a versatile design tool for creating strong, **future-focused interiors**.



R-EVOLUTION 730, RENEGADE 124



R-EVOLUTION 721, RENEGADE 224, 921



Choose a colour transition



RENEGADE 522 ATLANTIC



R-EVOLUTION 723 DENIM LEAD



RENEGADE 921 ELEPHANT



RENEGADE 613 MATCHA



R-EVOLUTION 730 GRASS PINE



RENEGADE 124 WALNUT



RENEGADE 945 EBONY



R-EVOLUTION 726 EARTHY GROUND



RENEGADE 907 IRON



R-EVOLUTION 723, RENEGADE 522, 921






R-EVOLUTION 727, RENEGADE 113, 124





Play with patterns



R-EVOLUTION 726, RENEGADE 907, 945







R-EVOLUTION 731, 728, RENEGADE 111, 124, 244

Experiment with double transitions




RENEGADE 224 CURRY



R-EVOLUTION 721 LIME GREY



RENEGADE 921 ELEPHANT



R-EVOLUTION 724 STONEWASHED



RENEGADE 937 ASH



RENEGADE 530 SEA



R-EVOLUTION 722 TEAL FOG



RENEGADE 921 ELEPHANT



R-EVOLUTION 725 GRAFFITI



RENEGADE 942 SHADOW



RENEGADE 244 RED OCHRE



R-EVOLUTION 731 TERRA ROSSA



RENEGADE 111 TRUFFLE



R-EVOLUTION 729 TUNDRA



RENEGADE 911 MOUSE



RENEGADE 520 MAUVE



R-EVOLUTION 732 PURPLE POWDER



RENEGADE 111 TRUFFLE



R-EVOLUTION 728 SAVANNA



RENEGADE 124 WALNUT



R-EVOLUTION 728, 730, RENEGADE 111, 124, 613





R-ÉVOLUTION 721, 725, RENEGADE 224, 921, 942



R-EVOLUTION 728, RENEGADE 124, 111



R-EVOLUTION 731, 728, 730, RENEGADE 111, 124, 613



Become a master
with multiple transitions



RENEGADE 244 RED OCHRE



R-EVOLUTION 731 TERRA ROSSA



RENEGADE 111 TRUFFLE



R-EVOLUTION 728 SAVANNA



RENEGADE 124 WALNUT



R-EVOLUTION 730 GRASS PINE



RENEGADE 613 MATCHA



R-EVOLUTION 723, 724, RENEGADE 522, 921, 937



Create your own flow

Together, R-EVOLUTION & NEW RENEGADE offer **visual harmony** and a calm sense of movement to any professional interior. A collection that brings a sense of flow, defines space and lets every floor show the quiet strength of natural elegance.



EACH CARPET TILE
VARIES IN DESIGN



R-EVOLUTION 729



R-EVOLUTION 729, RENEGADE 911, 111



R-EVOLUTION 729




Your time to play!

Specifications

BLOQ

creative
carpet tiles




THE BINARY RENEGADE

SPECIFICATIONS

TYPE OF MANUFACTURE	Tufted Patterned Loop Pile 1/10"
ISO 2424	
PILE FIBER COMPOSITION	100% Polyamide 6
ISO 2424	Solution Dyed Nylon made by Aquafil
SECONDARY BACKING	Bitback, Modified Bitumen
ISO 2424	70% Recycled Content
DIMENSION	50 x 50 cm
EN ISO 24342	
PILE WEIGHT	650 g/m ²
ISO 8543	
SURFACE PILE WEIGHT	380 g/m ²
ISO 8543	
TOTAL WEIGHT	4 400 g/m ²
ISO 8543	
TOTAL THICKNESS	6.9 mm
ISO 1765	
PILE HEIGHT	3.8 mm
ISO 1766	
PILE DENSITY	0.100 g/m ³
ISO 8543	
NUMBER OF TUFTS	152 000 /m ²
ISO 1763	
DIMENSIONAL STABILITY	≤ 0.2%
ISO 2551	
NUMBER OF COLOURS	Old colours: 18 New colours: 6
PACKAGING	Box: 20 tiles / 5 m ² Pallet: 200 m ²

PERFORMANCE


CLASSIFICATION	33
EN 1307	
LUXURY RATING	LC1
EN 1307	
CASTOR CHAIR RATING	A: Intensive use
EN ISO 4918	
FIRE CLASSIFICATION	B _f -s1
EN 13501-1	
IMPACT SOUND INSULATION	ΔL _w : 26 dB
EN ISO 10140-3	
SOUND ABSORPTION	Frequency Hz 125 250 500 1000 2000 4000
EN ISO 354	α _s 0.01 0.03 0.08 0.22 0.32 0.39
NOISE REDUCTION	α _w : 0.20
EN ISO 354	
PERMANENT ANTISTATIC	≤ 2.0 kV
ISO 6356	
TRANSVERSAL RESISTANCE	≤ 1 X 10 ⁹ Ohm
ISO 10965	
THERMAL RESISTANCE	0.082 m ² K/W
ISO 8302	
COLOUR FASTNESS TO LIGHT	≥ 7
EN ISO 105-B02	
COLOUR FASTNESS TO WATER	≥ 4
EN ISO 105-E01	
RUBBING FASTNESS	≥ 4
EN ISO 105-X12	
GUT N° PRODIS	343D0EEE



All rights reserved to alter technical specifications.

BLOQ | De Blokmat 29, 8281 JH Genemuiden, The Netherlands | T +31 38 386 10 60, info@bloq.nl

www.bloq.nl



LIGHT REFLECTANCE VALUES

Light Reflectance Value (LRV) is a scale that measures visible and usable light reflected from an illuminated surface. The percentage identifies how much light a colour reflects or absorbs. 0% reflects no visible light, 100% reflects all light.

RENEGADE	LRV av	L
111	29.24	60.99
113 NEW	44.10	72.30
124	19.10	50.81
224 NEW	18.54	50.14
244 NEW	9.63	37.18
520 NEW	6.06	29.56
522	5.15	27.17
530	10.15	38.11
613 NEW	12.33	41.73
907	21.24	52.99
911	22.83	54.90
921	20.07	51.91
937	12.00	41.21
942	8.92	35.82
945 NEW	5.20	27.31






THE BINARY R-EVOLUTION

SPECIFICATIONS

TYPE OF MANUFACTURE	Tufted Patterned Loop Pile 1/10"
ISO 2424	
PILE FIBER COMPOSITION	ECONYL®
ISO 2424	100% Regenerated Nylon
SECONDARY BACKING	Bitback, Modified Bitumen
ISO 2424	70% Recycled Content
DIMENSION	50 x 50 cm
EN ISO 24342	
PILE WEIGHT	650 g/m ²
ISO 8543	
SURFACE PILE WEIGHT	380 g/m ²
ISO 8543	
TOTAL WEIGHT	4 400 g/m ²
ISO 8543	
TOTAL THICKNESS	6.9 mm
ISO 1765	
PILE HEIGHT	3.8 mm
ISO 1766	
PILE DENSITY	0.100 g/m ³
ISO 8543	
NUMBER OF TUFTS	152 000 /m ²
ISO 1763	
DIMENSIONAL STABILITY	≤ 0.2%
ISO 2551	
NUMBER OF COLOURS	12
PACKAGING	Box: 20 tiles / 5 m ² Pallet: 200 m ²

PERFORMANCE

CLASSIFICATION	33
EN 1307	
LUXURY RATING	LC1
EN 1307	
CASTOR CHAIR RATING	A: Intensive use
EN ISO 4918	
FIRE CLASSIFICATION	B _{fl} -s1
EN 13501-1	
IMPACT SOUND INSULATION	ΔL _w : 26 dB
EN ISO 10140-3	
SOUND ABSORPTION	Frequency Hz 125 250 500 1000 2000 4000
EN ISO 354	α _s 0.01 0.03 0.08 0.22 0.32 0.39
NOISE REDUCTION	α _w : 0.20
EN ISO 354	
PERMANENT ANTISTATIC	≤ 2.0 kV
ISO 6356	
TRANSVERSAL RESISTANCE	≤ 1 X 10 ⁹ Ohm
ISO 10965	
THERMAL RESISTANCE	0.082 m ² /KW
ISO 8302	
COLOUR FASTNESS TO LIGHT	≥ 7
EN ISO 105-B02	
COLOUR FASTNESS TO WATER	≥ 4
EN ISO 105-E01	
RUBBING FASTNESS	≥ 4
EN ISO 105-X12	
GUT N° PRODIS	343D0EEE



22/05/2028

All rights reserved to alter technical specifications.

BLOQ | De Blokmat 29, 8281 JH Genemuiden, The Netherlands | T +31 38 386 10 60, info@bloq.nl

www.bloq.nl

ECONYL® 100% REGENERATED YARNS

R-EVOLUTION is consciously crafted from ECONYL® Regenerated Yarn, a breakthrough material made from discarded fishing nets and other nylon waste. By transforming ocean pollutants into high-quality carpet fibres, we reduce our environmental footprint and protect the oceans.



LIGHT REFLECTANCE VALUES

R-EVOLUTION	LRV av	L
721	21.93	53.95
722	18.26	49.81
723	16.54	47.67
724	17.93	49.41
725	15.13	45.82
726	14.01	44.25
727	31.40	62.85
728	25.59	57.65
729	29.97	61.63
730	18.82	50.47
731	22.34	54.38
732	18.86	50.52

BLOQ
De Blokmat 29
8281 JH Genemuiden
The Netherlands

T +31 38 386 10 60
info@bloq.nl

www.bloq.nl